

ASCENDO

TYRE TECHNOLOGY



ON ROAD URBAN



NEW
PATTERN

PRO 05

WIN

TUBELESS	
14"	80/90-14
	90/90-14



NEW
PATTERN

PRO 06

KEN

TUBELESS	
14"	80/90-14
	90/90-14



NEW
PATTERN

PRO 07

DEN

TUBELESS			
12"	100/90-12	13"	110/70-13
	110/90-12		130/70-13
	110/70-12		130/80-12



PRO 01

REGINA S1

TUBELESS	
14"	70/90-14
	80/90-14
	90/90-14
	110/80-14



PRO 02

REX

TUBELESS			
14"	80/80-14	17"	80/80-17
	90/80-14		90/80-17
	100/80-14		100/80-17
17"			110/80-17
			120/80-17
			130/70-17



PRO 03

TURRIS

TUBELESS			
14"	70/90-14	17"	70/90-17
	80/80-14		80/80-17
	80/90-14		80/90-17
17"	90/80-14		90/90-14
	100/80-14		110/80-14
	110/80-14		



PRO 04 GR

DYNAMIC

TUBELESS	
14"	80/90-14
	90/90-14



MT 405

MESH MAX

TUBELESS			
14"	NEW SIZE	70/90-14	70/90-17
		80/80-14	80/90-17
		80/90-14	100/70-17
		90/80-14	110/70-17
		90/90-14	
		100/80-14	
		100/90-14	



MT 427

TRAVELER SE

TUBELESS	
17"	90/80-17
	100/80-17
	110/80-17
	120/80-17



MT 384

ARROW BLADE

TUBELESS		TUBETYPE	
14"	80/90-14	14"	80/90-14
	90/90-14		90/90-14
17"	70/90-17	17"	70/90-17
	80/90-17		80/90-17



ST 003

DARK ANGEL

TUBELESS		TUBETYPE	
17"	70/90-17	17"	80/90-17
	80/90-17		90/90-17
	90/90-17		



ST 007

STREET ANGEL

TUBETYPE	
17"	2.50-17
	2.75-17



ST 015

BLACK DIAMOND

TUBETYPE	
17"	70/90-17
	80/90-17



ST 017

TIGER SHARK

TUBETYPE	
17"	70/90-17
	80/90-17



ST 018

MAXIMUS

TUBETYPE			
14"	70/90-14	17"	70/90-17
	80/90-14		80/90-17
	90/90-14		90/90-17

SCOOTER MAXI



MT 565

WANDI

TUBELESS	
14"	110/80-14
	140/70-14



MT 564

MAX PRO

TUBELESS			
NEW SIZE 12"	110/70-12	80/90-14	NEW SIZE 14"
	130/70-13		
14"	90/90-14		NEW SIZE 110/70-14



MT 355

N-MAX

TUBELESS	
13"	110/70-13
	130/70-13



MT 540

BLACK PHANTER

TUBELESS	
13"	120/70-13
	140/60-13

SCOOTER MINI



MT 533

ELECTRIC VEHICLE

TUBELESS	
12"	90/90-12



MT 541

SCOOTER STREET

TUBELESS	
12"	100/90-12
	110/90-12



MT 341

X CROSS

TUBETYPE			
14"	70/90-14	17"	2.50-17
	80/90-14		2.75-17



ST 002

KING CROSS

TUBETYPE	
17"	2.50-17
	2.75-17

OFF ROAD TRAIL

RIM SIZE GUIDE			
Ø	SIZE	Recommend RIM (Inch)	Permitted RIM (Min-Max) (Inch)
	Ukuran BAN	Lebar PELEK rekomendasi	Lebar PELEK diperbolehkan
12	100/90 - 12	2.15	1.85 - 2.50
	110/90 - 12	2.50	2.15 - 2.75
13	110/70 - 13	3.00	2.75 - 3.50
	120/70 - 13	3.50	3.25 - 3.50
	130/70 - 13	3.50	3.25 - 3.50
	140/60 - 13	4.25	3.50 - 4.25
14	80/80 - 14	1.85	1.60 - 2.15
	90/80 - 14	2.15	1.85 - 2.50
	100/80 - 14	2.50	2.15 - 2.75
	110/80 - 14	2.50	2.15 - 2.75
	70/90 - 14	1.60	1.40 - 1.85
	80/90 - 14	1.85	1.60 - 2.15
	90/90 - 14	2.15	1.85 - 2.50
	100/90 - 14	2.50	2.15 - 2.75
17	100/70 - 17	2.75	2.50 - 3.00
	110/70 - 17	3.00	2.75 - 3.50
	70/80 - 17	1.60	1.40 - 1.85
	80/80 - 17	1.85	1.60 - 2.15
	90/80 - 17	2.15	1.85 - 2.50
	100/80 - 17	2.50	2.15 - 2.75
	110/80 - 17	2.50	2.15 - 2.75
	60/90 - 17	1.40	1.20 - 1.60
	70/90 - 17	1.60	1.40 - 1.85
	80/90 - 17	1.85	1.60 - 2.15
	2.25 - 17	1.40	1.20 - 1.60
	2.50 - 17	1.60	1.40 - 1.85
	2.75 - 17	1.85	1.60 - 2.15
18	3.00 - 18	1.85	1.60 - 2.15



SIZE	MATRIX SIZE
3.00/3.25 - 8	
2.50/2.75 - 14	70/90-14 80/80-14 80/90-14
2.75/3.00 - 14	80/90-14 90/80-14 90/90-14 100/80-14
3.00/3.25 - 14	100/70-14 100/80-14 110/80-14
2.00 - 17	50/90-17 60/80-17 60/90-17
2.00/2.25 - 17	60/80-17 60/90-17 70/80-17
2.25/2.50 - 17	70/80-17 70/90-17 80/80-17
2.50/2.75 - 17	70/90-17 80/80-17 80/90-17 90/80-17
2.75 - 17	80/90-17 90/80-17
2.75/3.00 - 17	80/90-17 90/80-17 90/90-17 100/80-17
3.00/3.25 - 17	100/70-17 100/80-17 110/80-17
2.75/3.00 - 18	80/90-18 80/100-18 90/90-18
3.00/3.25 - 18	100/70-18 100/80-18 110/80-18

Tabel Tekanan Angin pada Ban			
BAN SEPEDA MOTOR	Depan	1.95 bar	28 psi
	Belakang	2.10 bar	30 psi